



ENVIRONMENT IN THE COURTROOM II

Edited by Alastair R. Lucas & Allan E. Ingelson

ISBN 978-1-77385-380-2

THIS BOOK IS AN OPEN ACCESS E-BOOK. It is an electronic version of a book that can be purchased in physical form through any bookseller or on-line retailer, or from our distributors. Please support this open access publication by requesting that your university purchase a print copy of this book, or by purchasing a copy yourself. If you have any questions, please contact us at ucpress@ucalgary.ca

Cover Art: The artwork on the cover of this book is not open access and falls under traditional copyright provisions; it cannot be reproduced in any way without written permission of the artists and their agents. The cover can be displayed as a complete cover image for the purposes of publicizing this work, but the artwork cannot be extracted from the context of the cover of this specific work without breaching the artist's copyright.

COPYRIGHT NOTICE: This open-access work is published under a Creative Commons licence. This means that you are free to copy, distribute, display or perform the work as long as you clearly attribute the work to its authors and publisher, that you do not use this work for any commercial gain in any form, and that you in no way alter, transform, or build on the work outside of its use in normal academic scholarship without our express permission. If you want to reuse or distribute the work, you must inform its new audience of the licence terms of this work. For more information, see details of the Creative Commons licence at: <http://creativecommons.org/licenses/by-nc-nd/4.0/>

UNDER THE CREATIVE COMMONS LICENCE YOU MAY:

- read and store this document free of charge;
- distribute it for personal use free of charge;
- print sections of the work for personal use;
- read or perform parts of the work in a context where no financial transactions take place.

UNDER THE CREATIVE COMMONS LICENCE YOU MAY NOT:

- gain financially from the work in any way;
- sell the work or seek monies in relation to the distribution of the work;
- use the work in any commercial activity of any kind;
- profit a third party indirectly via use or distribution of the work;
- distribute in or through a commercial body (with the exception of academic usage within educational institutions such as schools and universities);
- reproduce, distribute, or store the cover image outside of its function as a cover of this work;
- alter or build on the work outside of normal academic scholarship.



Acknowledgement: We acknowledge the wording around open access used by Australian publisher, **re.press**, and thank them for giving us permission to adapt their wording to our policy <http://www.re-press.org>

Pressures on the Ocean: Scientific Perspective

*Douglas Wallace*¹

Introduction

A key aspect of the ocean is its fluid motion and connectivity, which means that cause and effect (e.g. sources/causes and damages/impacts) are usually separated geographically. The legal and courtroom implications and consequences of this connectivity have commonalities, conceptually, with those encountered in areas such as long-range air pollution, water resources, and groundwater use/contamination. Dealing with such issues can be complex and often slow, in part because of jurisdictional issues but also because of the scientific difficulty of attribution (i.e. linking cause with effect). Given that legal remedies to conflicts and damages associated with the marine environment are complex and slow to establish, it is worth peering into the future and looking back on the recent past to identify trends in order to anticipate issues that could impact future development, application, or interpretation of legislation. This type of trend analysis or projection is generally undertaken by the scientific community in isolation, sometimes with the subsequent production of “Summaries for Policymakers” or other guidance for non-scientists. In this paper, I follow this approach and present an overview of ongoing and future changes of the marine environment at large scales, which I believe are increasingly the causes or drivers (“forcings”) for damage and conflicts at local and regional scales that end up being litigated in the courtroom.

Despite having taken the conventional, “isolated” approach for this paper, I believe it is becoming necessary to connect legal, enforcement, and scientific communities more effectively and regularly in a joint process of

envisioning the ocean's future. Ideally, this would lead to policies and legal approaches better suited to altered situations of the future ocean. However, such cooperative visioning would also recognize that policy and regulation of human activities play an increasingly important role in determining the future state of the marine environment.

The Nature of Ocean Change

Pressures on the ocean environment are strongly mediated by two main classes of forcing: 1) "direct" human forcing linked to societal change and specific human actions, including technology development, population growth, and growing demands for living and non-living resources; and 2) "indirect" forcing associated with human activity, especially energy-use and agriculture, which with present technologies, impact climate and ecosystems on a global scale.

Direct Human Forcing: Human population is projected to rise to between 9.6 and 12.3 billion by the end of this century, with the bulk of the growth occurring in Africa.² The low elevation coastal zone (LECZ; elevation <10m) was home to 625 million people (c. 10 percent of the global population) in 2000 despite representing only 2.3 percent of global land area.³ Projections under various scenarios suggest that the population of the LECZ will increase to between 1 and 1.4 billion by 2060, representing c. 12 percent of the global population. Whereas the bulk of the coastal population is located in Asia, the most dramatic growth will be in Africa, especially West Africa. In contrast, Canada's coastal population is projected to rise moderately from its 2000 value of 1.2 million to about 1.6 million in 2060.

A recent landmark review on "marine defaunation"⁴ noted the widening range of direct human pressures on the marine environment. The authors suggested that the ocean is starting to experience human alteration of habitat analogous to the habitat degradation on land that was set in motion by the industrial revolution. Their list of recent developments includes the growth and expansion of coastal cities, land reclamation, advancements in seafloor mining, dredging, oil and gas extraction, tidal/wave energy generation, growth of marine transport, and the development of ocean farming, in addition to the growth of industrial fishing and bottom trawling that has been underway for some time.

Indirect Forcing: Energy use and resulting future emissions of CO₂ are the subject of representative concentration pathways (RCPs),⁵ which are

projections of future pathways of greenhouse gas concentrations and radiative forcing up to 2100 based on scenarios of socio-economic and technological change. The four RCPs (2.6, 4.5, 6, and 8.5) project atmospheric CO₂ levels of c. 400, 500, 600, and 950 ppm respectively by the end of this century. These are, in turn, associated with projected warming, sea-level rise, changes to ice-cover, and other phenomena (see below for more detail) that are projected using climate models.⁶

This indirect forcing is global in scope, so that regional and local changes, pressures and impacts on the marine environment and individual communities are, increasingly, the result of activities that are initiated and ongoing far away in both space and time. An obvious example of this is the rapidly changing transportation and hunting environment of Canada's northern peoples, which results from climate change and the reduction of Arctic sea ice extent. Similarly, property damage due to rising sea-levels cannot be attributed to specific individuals, organizations, or even countries: the cause is of global extent and involves the actions of most humankind.

Such climate-related changes to the ocean include physical changes such as ocean warming, sea-level rise, changes in sea-ice extent and iceberg distributions and, potentially, changes in the frequency and intensity of storms and their large-scale ocean circulation. These physical changes impact, in turn, the chemical and biological processes that alter marine ecosystems. However, in addition to such changes resulting ultimately from changes in radiative forcing, there is additional global-scale forcing associated with the changing chemical composition of the atmosphere. In particular, there is considerable concern that the ocean's uptake of anthropogenic CO₂, and the associated decrease in seawater pH, is adversely affecting certain marine species and/or life-stages of aquatic organisms. This process of "ocean acidification"⁷ has potential implications for corals and other carbonate-shell forming organisms, including commercially valuable species such as oysters and related marine food chains. Global changes to the nitrogen cycle, especially the long-range transport of fixed, bio-available nitrogen from land to remote, nutrient-deficient ocean "deserts" via atmospheric transport, is now also recognized to have the potential to impact marine ecosystems on large scales⁸ in addition to the more acute, local impacts of coastal eutrophication.

The Confluence of Simultaneous Change and Marine Risk

Both classes of forcing (direct and indirect) are operating simultaneously and globally so that the overall human relationship with the ocean and human exposure to marine-related risk, is impacted by both and their confluence.

On the one hand, technological developments and rapid population and economic growth in the coastal zone are altering the ways in which humans make use of and interact with the marine environment. These changing uses can be causes of conflict, especially where new uses are introduced in the vicinity of traditional or historical uses. Examples are numerous and varied and include the development of aquaculture, growth in the use of ocean spaces for tourism or renewable energy generation, the ever-deeper global development of offshore oil and gas resources, growth of coastal megacities, the development of larger ships and associated ports, etc. In addition to these new uses and developments, existing and longer established use patterns are also changing. For example, the over-exploitation of capture fisheries in waters adjacent to developed countries, together with technology development, has led to a massive global shift of fishing pressure towards waters surrounding less-developed nations, for example in Africa.⁹ Whereas impacts and conflicts resulting from these changing human uses of the ocean are usually national, regional, or local, the trends and patterns of change have globalized. This implies a need for exchanging views on how to minimize conflicts or damage and manage the response to change on a global scale.

On the other hand, primarily as a consequence of fossil-energy use but also as a result of other global-scale industries such as agriculture, the planetary environment itself is changing, including increasingly rapid changes within and around the ocean. Here, the issue is frequently related to climate change and its knock-on consequences such as sea-level rise or the dramatic reductions of sea-ice cover in the Arctic. The changing human use of the ocean is taking place in the context of these rapid and large-scale environmental changes. Examples of these ongoing and projected changes are listed below, with most information referenced to the Intergovernmental Panel on Climate Change (IPCC).¹⁰

Warming: The globally averaged surface temperature has warmed by 0.85°C since 1850. This has not been spatially uniform, and a few oceanic regions (including the northwest Atlantic) experienced no significant long-term

warming. The warming extends into the deep ocean (<2000m). By the end of this century, models project global surface temperatures to be at least 1.5°C higher relative to 1850 for all RCPs except RCP2.6, and >2°C for RCP6.0 and RCP8.5.

Sea-level rise: Over the past century, global sea level rose by 0.19 m, a faster rate than the previous 2000 years. Thermal expansion, melting of glacial ice, and large ice sheets have contributed roughly equally to this increase. Projections of future rise are dependent on the RCP and remain controversial. The rate and even sign of sea-level rise is non-uniform and is particularly variable around Canada due to differences in response to loss of land-ice since the last ice age. Global estimates of relative sea-level rise are 0.42 m and 0.85 m for RCP4.5 and RCP8.5 respectively,¹¹ with projections for the Canadian coastline ranging from <0 to 0.7 m (RCP4.5) depending on location.

Ice-cover changes: The annual mean Arctic sea ice extent decreased dramatically between 1979 and 2012 at a rate of 3.5 to 4.1 percent per decade. Summer extent decreased from 9.4 to 13.6 percent per decade. Projected summertime reductions by the end of this century range from 43 percent (RCP2.6) to 94 percent (RCP8.5) and from 8 percent to 34 percent for RCP8.5 in the winter season. Hence, an ice-free summertime Arctic Ocean is projected for only the most extreme climate-change scenario.

Ocean acidification: Projected changes in surface ocean pH by the end of this century depend strongly on the amount of CO₂ emitted and range from 0.06 (RCP2.6) to c. 0.31 for RCP8.5.

Ocean Value and Changing Marine Risk

The intersection or confluence of these two classes of forcing means that the nature and amplitude of marine-related risks are changing. These risks are to human life (including quality of life), marine ecosystems, and property and economic activity in and around the oceans.

Ocean-related activities, industries, and ecosystem services have considerable economic value. The global GDP of the “ocean economy” has been estimated at US\$2.5 trillion per year, equivalent to that of the seventh largest national economy.¹² This figure does not include the GDP associated with offshore fossil-energy and other uses of the sub-seafloor.

In some cases, marine risk is altered by fundamentally new hazards that did not exist previously. The Fukushima radiological disaster¹³ was the consequence of a hazard that did not exist several decades earlier. The Deepwater

Horizon disaster¹⁴ is another such example. More commonly, it is the frequency or amplitude of long-existing hazards that is altered, such as sea-level rise or coastal flooding. Changing vulnerability to hazards, for example, due to changing use of the coastal zone, contributes significantly to altered risk.

This global phenomenon of ongoing major change is the context for legal disputes that arise in connection with ocean activities and associated risks and damages.

Emerging Issues Facing the Ocean

A number of fundamentally new emerging issues are worth mentioning specifically. Each issue has the potential to radically change the way in which we use the ocean.

Geoengineering: Intentional large-scale manipulation of planetary processes is discussed increasingly as a possible approach for mitigation of dangerous climate change. Two main approaches are considered:¹⁵ (1) reducing levels of greenhouse gases in the atmosphere; and (2) altering radiative forcing. Schemes have been proposed for use on land, the atmosphere, space, and the ocean. The ocean-based schemes¹⁶ are focused on CO₂ removal and include ocean fertilization: ocean alkalinity modification and deliberate manipulation of upwelling and downwelling circulation. Their effectiveness has been questioned¹⁷ and even with optimistic estimates of carbon sequestration efficiency, the potential for CO₂ uptake via ocean fertilization is small relative to future emissions. Nevertheless, interest continues in the idea of adding small amounts of “limiting” nutrients (e.g. iron) in areas where other essential nutrients are in excess in order to initiate phytoplankton uptake of CO₂. Some of the interest likely lies with the closely associated potential for manipulating plankton blooms in order to increase fish stocks. For example, a controversial iron fertilization effort was conducted by the Haida Salmon Restoration Corporation 200 nautical miles west of Haida Gwaii in 2012, partly for CO₂ sequestration but mainly to investigate a hypothesis that linked “natural” iron deposition from volcanic ash and recruitment of Pacific salmon. The fertilization, with over 100 tonnes of iron sulphate and iron oxide, was conducted (without prior approval) and has been investigated by Environment Canada.

In addition to issues of legality and effectiveness, fertilization approaches have the potential for unintended consequences: for example, they can trigger the risk of toxic algae growth. The addition of a limiting nutrient in one

location may prevent subsequent utilization of other, excess nutrients “downstream,” thereby “robbing” downstream ecosystems.

Deep-sea mining: There has been a recent upsurge of interest in deep ocean mining, as indicated by the granting of twenty-seven contracts for deep ocean mineral exploration of ferromanganese nodules, crusts, and massive sulphide deposits by the International Seabed Authority.¹⁸ Two national governments have granted mining licences for massive sulphides within their economic zones. On the other hand, shallow-water mining has been restricted as a result of environmental concerns. Nevertheless, the increased interest suggests that as technological barriers to deep ocean mining are overcome and if commodity prices become attractive, the potential exists for rapid growth of marine mining in the deep ocean.

Offshore Aquaculture: Aquatic systems (ocean and freshwater) presently supply c. 2 percent of the global food supply, despite biological productivity of the oceans and land being roughly equivalent.¹⁹ On the other hand, aquatic systems already supply almost one-third of the animal meat consumed by humans and c. 12 percent of total animal protein. Aquaculture is already similar in magnitude to production from capture fisheries and there is a widespread view that feeding the Earth’s future population will require massive expansion of ocean aquaculture.²⁰ This is likely to exacerbate conflicts with other ocean uses through competition for space and due to environmental impacts. The potential of moving aquaculture of plants, molluscs, and fish further offshore is viewed as a likely development due to space availability and the increased potential for diffusion of wastes.²¹ Both technological and regulatory factors are limiting this expansion presently, and the potential of offshore aquaculture to contribute significantly to global food production is questioned. However, as technology improves, growth can be expected to develop rapidly.

Summary and Some Implications for the Future

At the turn of the century, the renowned marine ecologist Jeremy Jackson published a seminal article²² that chronicled the history of human disturbance (i.e. pressures) on marine ecosystems. It is instructive to revisit this article c. fifteen years later. At that time, the history of disturbances was dominated by fishing, which was also the first major human pressure on the ocean dating back to the beginning of the Holocene. This has been followed, more or less sequentially, by pressures arising from coastal pollution, mechanical habitat

destruction associated with coastal structures, invasive species introductions associated with marine transportation and, most recently, climate change. Based on the situation today, a number of emerging and potential threats can be added to Jackson's list including coastal aquaculture, deep-water resource extraction, faster and larger ships, ocean acidification, global changes in nutrient supply, the potential for offshore aquaculture, and even direct interventions into the planetary-scale processes in the form of geoengineering.

As discussed above, a key characteristic of our times is that these pressures on our oceans are multi-faceted (involving simultaneous societal and environmental change), changing rapidly (and accelerating), and global in scale. The nature of the change presents enormous challenges to scientists, policymakers, and those responsible for regulating use of the marine environment. Due to the rapidity and potential magnitude of the consequences of change, policy must increasingly be based on projections of how the oceans are likely to look and behave in the future.

These projections represent a major scientific challenge that must, ultimately, rely on models that take into account the complex and non-linear interactions, thresholds, and even tipping points that exist in the Earth System and the oceans. These interactions include those of humans and their technologies and policies. Hence, the models must represent changing processes and the behaviour of an entire planet and its human population (which, obviously, is not replicated), and include representations of processes that are operating on global scales and forces, often with no historical counterparts for comparison. Hence, the development of science-based projections of the future state of the ocean is a "grand challenge" to the scientific method. Duarte²³ has analyzed this grand challenge and discussed possible approaches to addressing it and, especially, "validating" or testing projections of the future ocean state. However, he also noted the importance of scientists, policymakers, and managers working closely together to develop the capacity to manage ocean problems adaptively "where uncertainties and unknowns are addressed through a learning-by-doing approach."²⁴

NOTES

- 1 Canada Excellence Research Chair in Ocean Science and Technology, Department of Oceanography, Dalhousie University.
- 2 P Gerland et al, "World Population Stabilization Unlikely this Century" (2014) 346:6206 *Science* 234, DOI: <10.1126/science.1257469>.
- 3 B Neumann et al, "Future Coastal Population Growth and Exposure to Sea-Level Rise and Coastal Flooding—A Global Assessment" (2015) 10(3):e0118571 *PLoS ONE*, DOI: <10.1371/journal.pone.0118571>.
- 4 DJ McCauley et al, "Marine Defaunation: Animal Loss in the Global Ocean" (2015) 347:6219 *Science* 247, DOI: <10.1126/science.1255641>.
- 5 DP van Vuuren et al, "The Representative Concentration Pathways: An Overview" (2011) 109:5 *Climatic Change* at 21, DOI: <10.1007/s10584-011-0148-z>.
- 6 Intergovernmental Panel on Climate Change, online: <www.ipcc.ch/report/ar5/>.
- 7 International Geosphere-Biosphere Programme, Intergovernmental Oceanographic Commission, Scientific Committee on Oceanic Research, *Ocean Acidification Summary for Policymakers—Third Symposium on the Ocean in a High-CO₂ World* (Stockholm: International Geosphere-Biosphere Programme, 2013).
- 8 I-N Kim et al, "Increasing Anthropogenic Nitrogen in the North Pacific Ocean" (2014) 346:6213 *Science* 1102, DOI: <10.1126/science.1258396>.
- 9 B Worm et al, "Rebuilding Global Fisheries" (2009) 325:5940 *Science* 578, DOI: <10.1126/science.1173146>.
- 10 "Summary for Policymakers" in TF Stocker et al, eds, *Climate Change 2013: The Physical Science Basis, Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change* (Cambridge, UK & New York: Cambridge University Press), online (pdf): <www.ipcc.ch/site/assets/uploads/2018/03/WG1AR5_SummaryVolume_FINAL.pdf>.
- 11 M Carson et al, "Coastal Sea Level Changes: Observed and Projected during the 20th and 21st Century" (2016) 134 *Climatic Change* 269, DOI: <10.1007/s10584-015-1520-1>.
- 12 Ove Hoegh-Guldberg et al, *Reviving the Ocean Economy: The Case for Action—2015* (Gland & Geneva: World Wildlife Fund, 2015).
- 13 International Atomic Energy Agency, *The Fukushima Daiichi Accident*, 1st ed, STI/PUB/1710 (Vienna: International Atomic Energy Agency, 2015).
- 14 National Commission on the BP Deepwater Horizon Oil Spill and Offshore Drilling, *Deep Water: The Gulf Oil Disaster and the Future of Offshore Drilling—Report to the President* (Washington: US Government Printing Office, 2011).
- 15 JG Shepherd, "Geoengineering the Climate: An Overview and Update" (2012) 370:1974 *Phil Trans R Soc A* 4166, DOI: <10.1098/rsta.2012.0186>.
- 16 Z Zhang et al, "Review of Geoengineering Approaches to Mitigating Climate Change" (2015) 108 *J Cleaner Production* 893, DOI: <10.1016/j.jclepro.2014.09.076>.
- 17 DWR Wallace et al, *Ocean Fertilization: A Scientific Summary for Policy Makers*, IOC/BRO/2010/2 (Paris: IOC/UNESCO, 2010).
- 18 S Petersen, A Krätschell & MD Hannington, "The Current State of Global Activities Related to Deep-sea Mineral Exploration and Mining" (EAGE/DGG Workshop on Deep Mineral Exploration, 18 March 2016, Münster, Germany), DOI: <10.3997/2214-4609.201600033>.

- 19 Y Olsen, "How Can Mariculture Better Help Feed Humanity?" (2015) 2 Front Mar Sci 46, DOI: <10.3389/fmars.2015.00046>.
- 20 CM Duarte et al, "Will the Oceans Help Feed Humanity?" (2009) 59:11 BioScience 967, DOI: <10.1525/bio.2009.59.11.8>.
- 21 P Edwards, "Aquaculture Environment Interactions: Past, Present and Likely Future Trends" (2015) 447 Aquaculture 2, DOI: <10.1016/j.aquaculture.2015.02.001>.
- 22 JBC Jackson et al, "Historical Overfishing and the Recent Collapse of Coastal Ecosystems" (2001) 293:5530 Science 629, DOI: <10.1126/science.1059199>.
- 23 CM Duarte, "Global Change and the Future Ocean: A Grand Challenge for Marine Sciences" (2014) 1 Front Mar Sci 4015, DOI: <10.3389/fmars.2014.0006>.
- 24 *Ibid* at 13.